

SHENDE SALES CORPORATION**“MISSION STATEMENT”****Our Mission is Our Vision**

We see ourselves as a family of honest, loyal and committed professionals, harmoniously employing technology, innovation and the human touch to achieve customer satisfaction and goodwill the corner stone of our success. We focus all our efforts for becoming one of the trusted suppliers of fluid sealing products.

The prosperity of our customers is the engine of our success and they will find in us a fast, timely, flexible, co-operative and competitive partner in their progress. We shall reach out to our customers anywhere and at anytime to make their dealings with us a pleasure.

We are committed to approachability, simplicity and transparency in our dealings. We shall use our employee involvement and sense of togetherness to generate high levels of teamwork, efficiency, excellence and profits. We shall mobilize aggressively, invest wisely, distribute prudently, recover assiduously, reduce cost and create a learning organization that offers products and services in tune with and ahead of the times.

“QUALITY POLICY”

We want to become trusted supplier backed by quality, rates and timely delivery of fluid sealing products.

We shall achieve this goal by continuous improvement in our work and services.

Prasant Wani
PROPRIETOR & CEO.
SHENDE SALES CORPORATION

PUJA FLUID SEALS PVT. LTD.**“MISSION STATEMENT”****Our Mission is Our Vision**

We want to be India's one of the best manufacture and supplier of Rubber Components using Total Quality Commitment to provide the skills to support profitable customer relationship.

We shall achieve this goal with Customer Satisfaction through Continual Improvement in all areas of operations with Quality, Productivity and Timely Delivery.

Products & Service Policy :

We take all the pride, to say that, today we are the one of the organized and efficient manufacturer specialist in the industry. We can provide practical solutions to sealing problems as well as to the industrial day-to-day OEM's, maintenance and spares requirements.

Specifying and providing the most suitable sealing products demands, in depth product knowledge and extensive application experience. Our refusal to compromise our stance, as a dedicated sealing specialist ensures that, all our customers receive a standard of service and breadth of product range unsurpassed within the industry.

Prasant Wani
Director

Swati Wani
Director

TEMPERATURE CONVERSION TABLE

C	-459 to 0 F/C	F	C	F/C	0 TO 100 F	C	F/C	F	C	F/C	F	100 TO 1000 C	F/C	F
-273	-459		-17.8	0	32.0	10.0	50	122.0	38	100	212	260	500	932
-268	-450		-17.2	1	33.8	10.6	51	123.8	43	110	230	266	510	950
-262	-440		-16.7	2	35.6	11.1	52	125.6	49	120	248	271	520	968
-257	-430		-16.1	3	37.4	11.7	53	127.4	54	130	266	277	530	986
-251	-420		-15.6	4	39.2	12.2	54	129.2	60	140	284	282	540	1004
-246	410		-15.0	5	41.0	12.8	55	131.0	66	150	302	288	550	1022
-240	-400		-14.4	6	42.8	13.3	56	132.8	71	160	320	293	560	1040
-234	-390		-13.9	7	44.6	13.9	57	134.6	77	170	338	299	570	1058
-229	-380		-13.3	8	46.4	14.4	58	136.4	82	180	356	304	580	1076
-223	-370		-12.8	9	48.2	15.0	59	138.2	88	190	374	310	590	1094
-218	-360		-12.2	10	50.0	15.6	60	140.0	93	200	392	316	600	1112
-212	-350		-11.7	11	51.8	16.1	61	141.8	99	210	410	321	610	1130
-207	-340		-11.1	12	53.6	16.7	62	143.6	100	212	413.6	327	620	1148
-201	-330		-10.6	13	55.4	17.2	63	145.4	104	220	428	332	630	1166
-196	-320		-10.0	14	57.2	17.8	64	147.2	110	230	446	338	640	1184
-190	-310		-9.4	15	59.0	18.3	65	149.0	116	240	464	343	650	1202
-184	-300		-8.9	16	60.8	18.9	66	150.8	121	250	482	349	660	1220
-179	-290		-8.3	17	62.6	19.4	67	152.6	127	260	500	354	670	1238
-173	-280		-7.8	18	64.4	20.0	68	154.4	132	270	518	360	680	1255
-169	-273	459	-7.2	19	66.2	20.6	69	156.2	138	280	536	366	690	1274
-168	-270	454	-6.7	20	68.0	21.1	70	158.0	143	290	554	371	700	1292
-162	-260	436	-6.1	21	69.8	21.7	71	159.8	149	300	572	377	710	1310
-157	-250	418	-5.6	22	71.6	22.2	72	161.6	154	310	590	382	720	1328
-151	-240	400	-5.0	23	73.4	22.8	73	163.4	160	320	608	388	730	1346
-146	-230	382	-4.4	24	75.2	23.3	74	165.2	166	330	626	393	740	1364
-140	-220	364	-3.9	25	77.0	23.9	75	167.0	171	340	644	399	750	1382
-134	-210	346	-3.3	26	78.8	24.4	76	168.8	177	350	662	404	760	1400
-129	-200	328	-2.8	27	80.6	25.0	77	170.6	182	360	680	410	770	1418
-123	-190	310	-2.2	28	82.4	25.6	78	172.4	188	370	698	416	780	1436
-118	-180	292	-1.7	29	84.2	26.1	79	174.2	193	380	716	421	790	1454
-112	-170	274	-1.1	30	86.0	26.7	80	176.0	199	390	734	427	800	1472
-107	-160	256	-0.6	31	87.8	27.2	81	177.8	204	400	752	432	810	1490
-101	-150	238	0.0	32	89.6	27.8	82	179.6	210	410	770	438	820	1508
-96	-140	220	0.6	33	91.4	28.3	83	181.4	216	420	788	443	830	1526
-90	-130	202	1.1	34	93.2	28.9	84	183.2	221	430	806	449	840	1544
-84	-120	184	1.7	35	95.0	29.4	85	185.0	227	440	824	454	850	1562
-79	-110	166	2.2	36	96.8	30.0	86	186.8	232	450	842	460	860	1580
-73	-100	148	2.8	37	98.6	30.6	87	188.6	238	460	860	466	870	1598
-68	-90	130	3.3	38	100.4	31.1	88	190.4	243	470	878	471	880	1616
-62	-80	112	3.9	39	102.2	31.7	89	192.2	249	480	896	477	890	1634
-57	-70	94	4.4	40	104.0	32.2	90	194.0	254	490	914	482	900	1652
-51	-60	76	5.0	41	105.8	32.8	91	195.8				488	910	1670
-46	-50	58	5.6	42	107.6	33.8	92	197.6				493	920	1688
-40	-40	40	6.1	43	109.4	33.9	93	199.4				499	930	1706
-34	-30	22	6.7	44	111.2	34.4	94	201.2				504	940	1724
-29	-20	4	7.2	45	113.0	35.0	95	203.0				510	950	1742
-23	-10	14	7.8	46	114.8	35.6	96	204.8				516	960	1760
-17.8	0	32	8.3	47	116.6	36.1	97	206.6				521	970	1778
			8.9	48	118.4	36.7	98	208.4				527	980	1795
			9.4	49	120.2	37.2	99	210.2				532	990	1814
						37.8	100	212.0				538	1000	1832

INCHES TO MILLIMETERS CONVERSION TABLE

FRAC	INCHES DEC.	M M	FRAC	INCHES DEC.	M M	FRAC	INCHES DEC.	M M	FRAC	INCHES DEC.	M M
	0.0004	0.01	33/64.	0.5156	13.097		1.2598	32		2.3228	59
	0.004	0.10	17/32.	0.531	13.494	1.9/32	1.281	32.544	2.11/32	2.344	59.531
	0.01	0.25	35/64.	0.547	13.891		1.2992	33		2.3622	60
1/64.	0.0156	0.397		0.5512	14	1.5/16	1.3125	33.338	2.3/8	2.375	60.325
	0.0197	0.50	9/16.	0.5625	14.288		1.3386	34		2.4016	61
	0.0295	0.75		0.571	14.5	1.11/32	1.344	34.131	2.13/32	2.406	61.119
1/32.	0.03125	0.794	37/64.	0.578	14.684	1.3/8	1.375	34.925	2.7/16	2.4375	61.913
	0.0394	1		0.5906	15		1.3779	35		2.4409	62
3/64.	0.0469	1.1291	19/32.	0.594	15.081	1.13/32	1.406	35.719	2.15/32	2.469	62.706
	0.059	1.5	39/64.	0.609	15.478		1.4173	36		2.4803	63
1/16.	0.0625	1.588	5/8.	0.625	15.875	1.7/16	1.4375	36.513	2.1/2	2.500	63.500
5/64.	0.0781	1.984		0.6299	16		1.4567	37		2.5197	64
	0.0787	2	41/64.	0.6406	16.272	1.15/32	1.469	37.306	2.17/32	2.531	64.294
3/32.	0.094	2.381		0.6496	16.5		1.4961	38		2.559	65
	0.0984	2.5	21/32.	0.656	16.669	1.1/2	1.500	38.100	2.9/16	2.5625	65.088
7/64.	0.109	2.778		0.6693	17	1.17/32	1.531	38.894	2.19/32	2.594	65.881
	0.1181	3	43/64.	0.672	17.066		1.5354	39		2.5984	66
1/8.	0.125	3.175	11/16.	0.6875	17.463	1.9/16	1.5625	39.688	2.5/8	2.625	66.675
	0.1378	3.5	45/64.	0.703	17.859		1.5748	40		2.638	67
9/64.	0.141	3.572		0.7087	18	1.19/32	1.594	40.481	2.21/32	2.656	67.469
5/32.	0.156	3.969	23/32.	0.719	18.256		1.6142	41		2.6772	68
	0.1575	4		0.7283	18.5	1.5/8	1.625	41.275	2.11/16	2.6875	68.263
11/64.	0.172	4.366	47/64.	0.734	18.653		1.6535	42		2.7165	69
	0.177	4.5		0.7480	19	1.21/32	1.6562	42.069	2.23/32	2.719	69.056
3/16.	0.1875	4.763	3/4.	0.750	19.050	1.11/16	1.6875	42.863	2.3/4	2.750	69.850
	0.1969	5	49/64.	0.7656	19.447		1.6929	43		2.7559	70
13/64.	0.203	5.159	25/32.	0.781	19.844	1.23/32	1.719	43.656	2.25/32	2.781	70.644
	0.2165	5.5		0.7874	20		1.7323	44		2.7953	71
7/32.	0.219	5.556	51/64.	0.797	20.241	1.3/4	1.750	44.450	2.13/16	2.8125	71.4375
15/64.	0.234	5.953	13/16.	0.8125	20.638		1.7717	45		2.8346	72
	0.2362	6		0.8268	21	1.25/32	1.781	45.244	2.27/32	2.844	72.2313
1/4.	0.250	6.350	53/64.	0.828	21.034		1.8110	46		2.8740	73
	0.2559	6.5	27/32.	0.844	21.431	1.13/16	1.8125	46.038	2.7/8	2.875	73.025
17/64.	0.2656	6.747	55/64.	0.859	21.828	1.27/32	1.844	46.831	2.29/32	2.9062	73.819
	0.2756	7		0.8661	22		1.8504	47		2.9134	74
9/32.	0.281	7.144	7/8.	0.875	22.225	1.7/18	1.875	47.625	2.15/16	2.9375	74.613
	0.2953	7.5	57/64.	0.8906	22.622		1.8898	48		2.9527	75
19/64.	0.297	7.541		0.9055	23	1.29/32	1.9062	48.419	2.31/32	2.969	75.406
5/16.	0.3125	7.938	29/32.	0.9062	23.019		1.9291	49		2.9921	76
	0.315	8	59/64.	0.922	23.416	1.15/16	1.9375	49.213	3	3.000	76.200
21/64.	0.328	8.334	15/16.	0.9375	23.813		1.9685	50	3.1/32	3.0312	76.994
	0.3346	8.5		0.9449	24	1.31/32	1.969	50.006		3.0315	77
11/32.	0.344	8.731	61/64.	0.953	24.209	2	2.000	50.800	3.1/16	3.0625	77.788
	0.3543	9	31/32.	0.969	24.606		2.0079	51		3.0709	78
23/64.	0.359	9.128		0.9843	25	2.1/32	2.0312	51.594	3.3/32	3.094	78.581
	0.374	9.5	63/64.	0.9844	25.003		2.0472	52		3.1102	79
3/8.	0.375	9.525	1	1.000	25.400	2.1/16	2.0625	52.388	3.1/8	3.125	79.375
25/64.	0.391	9.922		1.0236	26		2.0866	53		3.1496	80
	0.3937	10	1.1/32	1.0312	26.194	2.3/32	2.094	53.181	3.5/32	3.156	80.169
13/32.	0.406	10.319	1.1/16	1.0625	26.988	2.1/8	2.125	53.975	3.3/16	3.1875	80.963
	0.4134	10.5		1.063	27	2	2.126	54		3.1890	81
27/64.	0.422	10.716	1.3/32	1.094	27.781	2.5/32	2.156	54.769	3.7/32	3.219	81.756
	0.4331	11		1.1024	28		2.165	55		3.2283	82
7/16.	0.4375	11.113	1.1/8	1.125	28.575	2.3/16	2.1875	55.563	3.1/4	3.250	82.550
9/64.	0.453	11.509		1.1417	29		2.2047	56		3.2677	83
15/32.	0.469	11.906	1.5/32	1.156	29.369	2.7/32	2.219	56.356	3.9/32	3.281	83.344
	0.4724	12		1.1811	30		2.244	57		3.3071	84
31/64.	0.484	12.303	1.3/16	1.1875	30.163	2.1/4	2.250	57.150	3.5/16	3.125	84.1375
	0.492	12.5	1.7/32	1.219	30.956	2.9/32	2.281	57.944	3.11/32	3.344	84.9313
1/2.	0.500	12.700		1.2205	31		2.283	58		3.3464	85
	0.5118	13	1.1/4	1.250	31.750	2.5/16	2.3125	58.738	3.3/8	3.375	85.725

INCHES TO MILLIMETERS CONVERSION TABLE

FRAC	INCHES DEC.	M M	FRAC	INCHES DEC.	M M	FRAC	INCHES DEC.	M M	FRAC	INCHES DEC.	M M
	3.3858	86	3.27/32	3.844	97.631	4.13/16	4.8125	122.238	9	9.000	228.600
3.13/32	3.406	86.519		3.8583	98	4.7/8	4.875	123.825		9.051	230
	3.4252	87	3.7/8	3.875	98.425		4.9213	125		9.4488	240
3.7/16	3.4375	87.313		3.8976	99	4.15/16	4.9375	125.413	9.1/2	9.500	241.300
	3.4646	88	3.29/32	3.9062	99.219	5	5.000	127.000		9.8425	250
3.15/32	3.469	88.106		3.9370	100		5.1181	130	10	10.000	254
3.1/2	3.500	88.900	3.15/16	3.9375	100.013	5.1/4	5.250	133.350		10.2362	260
	3.5039	89.000	3.31/32	3.969	100.806	5.1/2	5.500	139.700		10.6299	270
3.17/32	3.531	89.694		3.9764	101		5.5118	140	11	11.000	279.40
			4	4.000	101.600	5.3/4	5.750	146.050		11.0236	280
	3.5433	90	4.1/16	4.0625	103.188		5.9055	150		11.4173	290
3.9/16	3.5625	90.4875	4.1/8	4.125	104.775	6	6.000	152.400		11.8110	300
	3.5827	91		4.1338	105	6.1/4	6.250	158.750	12	12.000	304.80
3.19/32	3.594	91.281	4.3/16	4.1875	106.363		6.299	160	13	13.000	330.20
	3.622	92	4.1/4	4.250	107.950	6.1/2	6.500	165.100		13.7795	350
3.5/8	3.625	92.075	4.5/16	4.3125	109.538		6.6929	170	14	14.000	355.60
3.21/32	3.656	92.869		4.3307	110	6.3/4	6.750	171.450	15	15.000	381.00
3.11/16	3.6875	93.663	4.3/8	4.375	111.125	7	7.000	177.800		15.7480	400
	3.7008	94	4.7/16	4.4375	112.713		7.0866	180			
3.23/32	3.719	94.456	4.1/2	4.500	114.300		7.4803	190	16	16.000	406.40
	3.7401	95		4.5275	115	7.1/2	7.500	190.500	17	17.000	431.80
3.3/4	3.750	95.250	4.9/16	4.5625	115.888		7.8740	200		17.7165	450
	3.7795	96	4.5/8	4.625	117.475	8	8.000	203.200	18	18.000	457.20
3.25/32	3.781	96.044	4.11/16	4.6875	119.063		8.2677	210	19	19.000	482.601
3.13/16	3.8125	96.838		4.7244	120	8.1/2	8.500	215.900		19.6850	500
	3.8189	97	4.3/4	4.750	120.650		8.6614	220	20	20.000	508.00

CONVERSION TABLE

1. LINEAR EQUIVALENTS

To Convert	Multiply By
Mills to Millimeters (1000 mills-one inch)	0.0254
Inches to Centimeters	2.540
Centimeters to Inches	0.3937
Feet to Meters	0.3048
Meters to Feet	3.281
Yards to Meters	0.9144
Meters to Kilometers	0.0936
Miles to Kilometers	1.6039
Kilometers to Miles	0.6214

2. AREA EQUIVALENTS

To Convert	Multiply By
Square Inches to Circular Mills (Circ Mills)	1273.240
Square Inches to Squares Millimeters	645.16
Square Millimeters to Square Inches	0.000155
Square Yard to Square Meters	0.8361
Square Meters to Square Yard	1.196
Hectares to Acres	2.471
Acres to Hectares	0.447

3. VOLUME EQUIVALENTS

To Convert	Multiply By
Cubic Inches to Cubic Centimeters	16.387
Cubic Centimeters to Cubic Inches	0.610
Cubic Yards to Cubic Meters	0.7645

Cubic Meters to Cubic Yards	1.308
Gallons to Litres	4.546
Litres to Gallons	0.22

4. WEIGHT EQUIVALENTS

To Convert	Multiply By
Pounds (lbs.) to Kilogram	
0.4536 Kilograms to Pounds (lbs.)	2.205
Tons (2240lbs.) to Kilograms	1016.02
Kilograms to Tons (2240 lbs.)	0.00098
Ounces (Avoirdupois) to Grains	28.35
Grams to Ounces (Avoirdupois)	0.0353
Grains (Troy) to Grms	0.0648
Grams to Grains (Troy)	15.432

5. ELECTRIC UNIT EQUIVALENTS

To Convert	Multiply By
Horse Power to Foot Pounds per Minute	33000.0
Watt to Foot Pounds per Minute	44.24
Horse Power to Kilowatts	0.756
Kilowatts to Horse Power	1.34
Atmospheres to lbs per square inch	14.68
Miles per hour to Feet Per minute	88.0

6. TEMPERATURE EQUIVALENTS

To Convert	Multiply By
1°F to 1°C – Subtract 32 and Multiply by	5/9
1°C to 1°F – Multily by 9/5 and add	32